

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449B/PTO				Complete if Known	
INFORMATION DISCLOSURE STATEMENT BY APPLICANT Date Submitted: February 9, 2004 (use as many sheets as necessary)				Application Number	Unassigned 10/ 773,398
				Filing Date	02/09/2004
				First Named Inventor	Andrew Cook et al.
				Group Art Unit	Unassigned 1641
				Examiner Name	Unassigned L. Cook
Sheet	1	of	5	Attorney Docket Number	017227-0197

U.S. PATENT DOCUMENTS						
Examiner Initials*	Cite No. ¹	U.S. Patent Document		Name of Patentee or Applicant of Cited Document	Date of Publication of Cited Document MM-DD-YYYY	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
		Number	Kind Code ² (if known)			
	A1					
	A2					

FOREIGN PATENT DOCUMENTS								
Examiner Initials*	Cite No. ¹	Foreign Patent Document			Name of Patentee or Applicant of Cited Documents	Date of Publication of Cited Document MM-DD-YYYY	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T ⁶
		Office ³	Number ⁴	Kind Code ⁵ (if known)				
L/C	B1	JP	62-12800	A	JAPAN ①	01/21/1987		
	B2							
	B3							
	B4							
	B5							

NON PATENT LITERATURE DOCUMENTS				
Examiner Initials*	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.) date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ⁶	
L/C	C1	Andersson, M. A., et al., "Analysis of Type II Collagen Reactive T Cells in the Mouse" Scand. J. Immunol, Vol. 33, pp. 505-510 (1991)		
	C2	Miyahara, H., et al., "Identification and Characterization of a Major Tolerogenic T-cell Epitope of Type II Collagen that Suppresses Arthritis in B10.RIII Mice", Immunology, Vol. 86, pp. 110-115 (1995)		
	C3	Nabozny, G.H., et al., "Identification of a Cyanogen Bromide Fragment of Porcine Type II Collagen Capable of Modulating Collagen Arthritis in B10.RIII (H2 ^d) Mice", Autoimmunity Vol 20, pp. 39-49		
	C4	Kerwar, S.S., et al., "Type II Collagen Induced Arthritis in Rats: Clinical and Immunological Studies", Int. J. Tiss. Reac. Vol. VII(6), pp. 409-429		
	C5	Rowley, M.J., et al., "Epitope Specificity of Antibodies to Type II Collagen in Rheumatoid Arthritis and Systemic Lupus Erythematosus", Rheumatology International, Vol. 12(2), pp. 65-69.		
L/C	C6	Boissier, M.C., et al., "Role De La Conformation Du Collagene Dans L'Immune Anti-Collagene De Type II Au Cours De La Polyarthrite Rhumatoide", Revue du Rhumatisme, Vol. 58(1), pp. 19-24 (1991) ①		
	C7			
	C8			

① only abstract considered (english)
L/Cook 8/17/05

Examiner Signature	Olivia X Cook	Date Considered	8/17/05
--------------------	---------------	-----------------	---------

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Unique citation designation number. ² See attached Kinds of U.S. Patent Documents. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document.

⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 18 if possible. ⁶ Applicant is to place a check mark here if English language Translation is attached.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, PO Box 1450, Alexandria, Virginia 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, PO Box 1450, Alexandria, Virginia 22313-1450.

Form PTO-1449 (MODIFIED)		U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE		ATTY. DOCKET NO. 017227/0197	SERIAL NO. Unassigned		
INFORMATION DISCLOSURE CITATION (Use several sheets if necessary)				APPLICANT Andrew COOK et al.			
				FILING DATE 02/09/2004	GROUP ART UNIT Unassigned		
OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)							
L/C		Collier, D.H., Kerwar, S.S., Garovoy, M.R., Fye, K.H., Stobo, J.D. (1984). Anticollagen antibodies and immune response gene products in rheumatoid arthritis. Arthritis Rheum, 27:1201-1209.					
		Cook, A.D., Rowley, M.J., Stockman, A., Muir, K.D., Mackay, I.R. (1994). Specificity of antibodies of type II collagen in early rheumatoid arthritis. J. Rheumatol. 21:1186-1191.					
		Cook, A.D., Rowley, M.J., Mackay, I.R., Gough, A., Emery, P. (1996). Antibodies to type II collagen in early rheumatoid arthritis: correlation with disease progression. Arthritis Rheum 39:1720-1727.					
		Courtenay, J.S., Dallman, M.J., Dayan, A.D., Martin, A., Mosedale, B. (1980). Immunization against heterologous type II collagen induces arthritis in mice. Nature 283:666-667.					
		Fujii, K., Tsuji, M., Kitamura, A., Murota, K. (1992). The diagnostic significance of anti-type II collagen antibody assay in rheumatoid arthritis. Int. Orthop. 16:272-276.					
		Gay, S., Gay R.E. and Miller, E.J. (1980). The collagens of the joint. Arthritis Rheum. 23:937-941.					
		Gioud, M., Meghlaoui, A., Costa, O., Monier, J.C. (1982). Antibodies of native type I and II collagens detected by an enzyme linked immunosorbent assay (ELISA) in rheumatoid arthritis and systemic lupus erythematosus. Collagen Rel. Res. 2:557-564.					
		Heinegard, D. and Paulsson, M. (1987). Methods Enzymol. 145:336-363.					
		Hochberg, M.C. (1981). Adult and Juvenile rheumatoid arthritis: current epidemiologic concepts. Epidemiol. Rev. 3:27-44.					
		Miller, E.J. (1985). The structure of fibril-forming collagens. Ann. N.Y. Acad. Sci. 460:1-13.					
		Miller, E.J. and Lunde, L.G. (1973). Isolation and characterization of the cyanogen bromide peptides from the alpha-I(II) chain of bovine and human cartilage collagen. Biochem 12:3153-3159.					
		Miller, E.J. and Rhodes, R.K. (1982). Preparation and characterization of the different types of collagen. Meth. Enzymol. 82:33-64.					
		Morgan, K., Clague, R.B., Collins, I., Ayad, S., Phinn, S.D., Holt, P.J.L. (1987). Incidence of antibodies to native and denature cartilage collagens (types II, IX, and XI) and to type I collagen in rheumatoid arthritis. Ann. Rheum. Dis. 46:902-907.					
L/C		Morgan, K., Clague, R.B., Collins, I., Ayad, S., Phinn, S.D., Holt, P.J.L. (1989). A longitudinal study of anticollagen antibodies in patients with rheumatoid arthritis. Arthritis Rheum. 32:139-145.					

Form PTO-1449 (MODIFIED)		U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE		ATTY. DOCKET NO. 017227/0197	SERIAL NO. Unassigned	
INFORMATION DISCLOSURE CITATION (Use several sheets if necessary)				APPLICANT Andrew COOK et al.		
				FILING DATE 02/09/2004	GROUP ART UNIT Unassigned	
OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)						
LVC		Pereira, R.S., Black, C.M., Duance, V.C., Jones, V.E., Jacoby, R.K., Welsh, K.I. (1985) Disappearing collagen antibodies in rheumatoid arthritis. Lancet ii :501-502.				
		Piez, K.A. (1976). Primary structure. In Biochemistry of collagen. Ramchandran, G.H. and Reddi, A.N. (eds). Plenum, New York, pp 1-44.				
		Piez, K.A. (1982). Structure and assembly of the native collagen fibril. Connect Tissue Res. 10:25-36.				
		Rosenberg, A.M., Hunt, D.W.C., Pretty, R.E. (1984). Antibodies to native and denatured type II collagen in children with rheumatic diseases. J. Rheumatol. 11:425-431.				
		Rowley, M.J., Gershwin, M.E., Mackay, I.R. (1988). Collagen antibodies in juvenile arthritis and adult rheumatoid arthritis: differences in levels and type-specificity. J. Rheumatol. 15:289-294.				
		Rowley, M.J., Mackay, I.R., Brand, C.A., Bateman, J.F., Chan, D. (1992). Epitope specificity of antibodies of type II collagen in rheumatoid arthritis and systemic lupus erythematosus. Rheumatol. Int. 12:65-69				
		Scott, P.G. and Veis, A. (1976) The cyanogen bromide peptides of bovine soluble and insoluble collagens. Connect Tissue Res. 4:107-116.				
		Stuart, J.M., Huffstutter, E.H., Townes, A.S., Kang, A.H. (1983). Incidence and specificity of antibodies to types I, II, III, IV and V collagen in rheumatoid arthritis and other rheumatic diseases as measured by 125 I-radioimmunoassay. Arthritis Rheum. 26:832-840.				
		Steffen, C., Timpl R. (1963). Antigenicity of collagen and its application in the serological investigation of rheumatoid arthritis sera. Int. Arch. Allergy Appl. Immunol 22:333-349.				
		Stockman, A., Rowley, M.J., Emery, P., Muir, K.D. (1989). Activity of rheumatoid arthritis and levels of collagen antibodies: a prospective study. Rheumatol. Int. 8:239-243				
		Terato, K. Cremer, M.A., Hasty, K.A., Kang, A.H., Hasty, D.L., Townes, A.S. (1985). Physicochemical and immunological studies of the renatured alpha I(II) chains and isolated cyanogen bromide peptides of type II collagen. Coll. Rel. Res. 5:469-480.				
		Terato, K., Shimozuru, Y., Katayama, K., Takemitsu, Y., Yamashita, I., Miyatsu, M., Fujii, K., Sagara, M., Kobayashi, S., Goto, M., Nishioka, K., Miyatsaka, N., Nagai, Y. (1990). Specificity of antibodies of type II collagen in rheumatoid arthritis. Arthritis Rheum 33:1493-1500.				
	LVC		Trentham, D.E. Townes, A.S., Kang, A.H. (1977). Autoimmunity to type II collagen: an experimental model of arthritis. J. Exp. Med. 146:857-868.			

Form PTO-1449 (MODIFIED)	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO. 017227/0197	SERIAL NO. Unassigned
INFORMATION DISCLOSURE CITATION <i>(Use several sheets if necessary)</i>		APPLICANT Andrew COOK et al.	
		FILING DATE 02/09/2004	GROUP ART UNIT Unassigned
OTHER DOCUMENTS <i>(Including Author, Title, Date, Pertinent Pages, Etc.)</i>			
L/C		Trentham, D.E. Kammer, G.M., McCune, W.J., David, J.R. (1981). Autoimmunity to collagen. A shared feature of psoriatic and rheumatoid arthritis. Arthritis Rheum. 24:1363-1369.	
L/C		Werkmeister, J.A., Ramshaw, J.A. M (1991). Multiple antigenic determinants on type III collagen. Biochem J. 274:895-898.	